

## QUARTER ONE SERVICE DELIVERY AND BUDGET IMPLEMENTATION PLAN: 2019/2020 FINANCIAL YEAR

	DIRECTORATE: INFRASTRUCTURE SERVICES												
	HEAD OF DIRECTORATE: MIR NCEBA NCUNYANA												
KFA No.	National Treasury Reference/ BCMM Code.	Key Performance Indicator	Project/ Programme	Baseline (Annual Performance of 2018/19 (Unaudited)	Annual target for 2019/20	Quarter One Actual Performance 2019/2020							
						1st Quarter Planned Target-ending September 2019	Portfolio of evidence	1st Quarter Actual Performance	Portfolio of evidence provided	Reason for deviation	Corrective measures	Achievement levels	
							STRATECH	COLUTEONAL S. A COMMITCHED CITY					
		STRATEGIC OUTCOME 3: A CONNECTED CITY  NATIONAL PRESCRIBED INDICATORS											
KFA22	EE1.11	Number of dwellings provided with connections to the mains electricity supply by the municipality	Electrification of formal and informal dwellings	1100	1800	N/A	N/A	N/A	N/A	N/A	N/A		
KFA22	EE3.11	Percentage of unplanned outages that are restored to supply within industry standard timeframes	Operations	65% of normal network outages returned to service within 24 hrs ( will exclude calls cuased by illegal connections)	100% of normal network outages returned to service within 24 hrs ( will exclude calls cuased by illegal connections)	100% of normal network outages returned to service within 24 hrs ( will exclude calls cuased by illegal connections)	Log sheets from control centre with calculations	100% of normal network outages returned to service within 24 hours.	Log sheets from control centre, including calculated duration	The annual target of 100% is realistic as a number of issues beyond any human control will affect outages.	The annual target should be reduced to the original baseline of 65% or above.		
KFA22	EE3.21	Percentage of Planned Maintenance Performed	Operations	Complete 65% or more of planned maintenace	Complete 100% of planned maintenace	Complete 100% of planned maintenace	Maintanance schedule with calculations	Maintanance schedule calculated at 91,3%.	Maintanance schedule with calculations.	The annual target of 100% is realistic as a number of issues beyond any human control will affect outages.	The annual target should be reduced to the original baseline of 65% or above.	•	
KFA19	TR6.11	Percentage of unsurfaced road graded	Rural Roads	8.27% (110km)	4.135% (55km)	5km	Completion Certificates	0.45% (6km)	Completion Certificates	N/A	N/A		
KFA19	TR6.12	Percentage of surfaced municipal road lanes which has been resurfaced and resealed	Urban Roads Programme	1.75% (28km)	19km	N/A	N/A	N/A	N/A	N/A	N/A		
							BCMM INDICATORS						
KFA22	EE1.1/CC20	Number of new high mast lights installed	Streetlights or highmasts within BCMM area of supply	10	12	N/A	N/A	N/A	N/A	N/A	N/A		
KFA19	TR 6.1/006	Km of gravel Roads upgraded to Surfaced Standard	Roads Upgrade	20km	16km	N/A	N/A	N/A	N/A	N/A	N/A		
KFA19	GC19	Number of bridges rehabilitated	Bridge Refurbishment Programme	3	3	N/A	N/A	N/A	N/A	N/A	N/A		

	NATIONAL TREASURY CIRCULAR 88 KEY PERFORMANCE INDICATORS FOR REPORTING ONLY												
KFA22	EE4.12	Installed capacity of embedded generators on the municipal distribution network	N/A	New indicator	Target not known in advance because of the nature of indicator, however, actual performance will be reported end of 2019/2020 financial year	Target not known in advance because of the nature of indicator, however, actual performance will be reported end of Quarter 1	Applications submitted by consumers	29,5 KW	Consumers applications.	N/A	N/A	•	
KFA23	WS5.31	Water connections metered as a percentage of total connections	N/A	New indicator	Target not known in advance because of the nature of indicator, however, actual performance will be reported end of 2019/2020 financial year	Target not known in advance because of the nature of indicator, however, actual performance will be reported end of Quarter 1	List of completed meter installation and progress report	Completed 151 new water connections.	List of completed meter installations.	None	None		
	STRATEGIC OUTCOME 4: A SPATIALLY TRANSFORMED CITY												
		NATIONAL PRESCRIBED INDICATORS											
KFA23	WS1.11	Number of new sewer connections meeting minimum standards.	No project, depends on applications received from the public, RDP connections provided by Housing Department	450	945	N/A	N/A	N/A	N/A	N/A	N/A		
KFA23	WS2.11	Number of new water connections meeting minimum standards.	N/A	450	250	N/A	N/A	N/A	None	None	None		
KFA23	WS4.22	Percentage of wastewater safely treated	www	>75%	75%	75%	Scientific Services WWTW Compliance Report	68%	Sciebtific Services WWTW Complience Report	Scientific Services could not test some of the parameters that normally comply, resulting in increased percentage complience. This is due to laboratory equipment failure.	Scientific Services is currently procuring the new equipment that is expected to deliver better results at the end of Quarter 3, and hopefully will be delivered in time to reverse the backlog on monitoring. In the meantime we will explore the services of a private service provider.		
		•	· I				BCMM OWN INDICATO	ORS					
KFA23	WS1.1/STC 2	Number of ablution facilities constructed (seats)	Ablution Facilities	60 (seats)	60 (seats)	5 (seats)	Internal Completion Certificate	9 (Tikini Gonubie)	Internal Completion Certificate	N/A	N/A		
KFA23	WS4.21	Percentage of industries with trade effluent inspected for compliance	Six monthly inspection of assessed industries	100% of assessed industries inspected	100% of assessed industries inspected	N/A	N/A	1	Statistics of Labotary inspection of industries with Trade Effluent licenses across BCMM.	N/A	N/A		

KFA23	WS4.1/STC12	% Compliance of water treatment works with SANS 241 requirements	www	>95%	98%	98%	Water quality results from Scientific Services	98%	Water quality results from Scientific Services.	None	None		
KFA23	WS1.1/STC8	% of households with access to basic level of sanitation	Rural Sanitation Backlog	93%	94%	N/A	N/A	N/A	N/A	N/A	N/A		
		STRATEGIC OUTCOME 5: A WELL GOVERNED CITY											
		STATEOR, UTILUME S. A WELL GOVERNED LITT											
		NATIONAL PRESCRIBED INDICATORS											
KFA32	WS3.11	Percent of Complaints/Callouts responded to within 24 hours (sanitation/wastewater).	Operations and maintenance	Responded to 95% sewer overflows within 24 hours.(Only covers inspection and identification of required repairs as well as issuing job cards).	Respond to 100% sewer overflows within 24 hours (Only covers inspection and identification of required repairs as well as issuing job cards).	Respond to 100% sewer overflows within 24 hours. (Only covers inspection and identification of required repairs as well as issuing job cards).	Job cards with reference numbers of received / completed complaints or report from the water management system, departmental reports	56%	Report from the Water Management System, Department reports.	While some of the reported complaints were attended to within 24 hours of reporting they were never captured into the Water Information Management System (WIMS) due to staff shortages (Endyn) Clerks and Data Capturers), lack of computers, and necessary training of personnel on WIMS.	Job cards with reference number of faults received and completed will be summarized and issued in they form of a spradsheet in the 2nd Cauarter.  The Sinitiation Department is conducting a rationalization of some conducting a rationalization of some conducting a rationalization of some of the conducting a rationalization of some of the conducting a rationalization of some of the conducting the conductin		
KFA32	WS3.21	Percent of Complaints/Callouts responded to within 24 hours (water).	Daily Operations and maintenance	Respond to 95% of water outages and burst pipe complaints/queries within 24 hours.(Exclude completion of repairs)	Respond to 100% of water outages and burst pipe complaints/queries within 24 hours.(Exclude completion of repairs)	Respond to 100% of water outages and burst pipe complaints/queries within 24 hours.(Exclude completion of repairs)	reference numbers of received / completed complaints or report from the water management	1	Report from water management system.	None	None		
									BCMM OWN INDICATOR	s			
KFA37	WGC24	Number of kilo-litres reduced (physical water losses in terms of system losses)	Water conservation and water demand management	1 300 000 kl	800 000 kl	N/A	N/A	N/A	N/A	N/A	N/A		
KFA37	WGC25	Electricity Losses	Electricity Losses	Equal to or less than 18%	16%	N/A	N/A	N/A	N/A	N/A	N/A		
		1	1							1			
		I				ACHIE	VEMENT LEVELS & LE						
			Outstanding performance										
			Performance significantly above expectations										
		Fully effective performance											
		Performance not fully satisfactory											
		Unsatisfactory performance											
		Not Applicable /On hold/Not reporting for this quarter											
		Not Applicable /Un noid/not reporting for this quarter											